Molecular Immunology

LIST OF CONTENTS AND AUTHOR INDEX FOR VOLUME 24, 1987

Pergamon Press

Oxford · New York · Beijing · Frankfurt · São Paulo · Sydney
Tokyo · Toronto

Molecular Immunology

Board of Regional Editors

Prof. KEITH J. DORRINGTON (Chairman of the Board), *Connaught Research Institute, 1755 Steeles Avenue West, Willowdale, Ontario, Canada M2R 3T4.*
Prof. GORDON L. ADA, *Microbiology Department, The John Curtin School of Medical Research, P.O. Box 334, Canberra City, A.C.T. 2601, Australia.*
Dr MICHAEL J. CRUMPTON, *Imperial Cancer Research Fund, Lincoln's Inn Fields, London WC2A 3PX, U.K.*
Prof. MICHEL FOUGEREAU, *Centre d'Immunologie de Marseille-Luminy, Case 906, 13288 Marseille Cedex 9, France.*
Dr HENRY METZGER, *Building 10, Room 9N240, National Institutes of Health, Bethesda, MD 20205, U.S.A.*
Dr ROALD S. NEZLIN, *Institute of Molecular Biology, Academy of Science, Vavilov str. 32, Moscow W-334, U.S.S.R. 117984.*

Founding Editor

Prof. DAN H. CAMPBELL

Advisory Editors

G. I. ABELEV
Moscow, U.S.S.R.
JAY BERZOFSKY
Bethesda, Maryland
DAVID BING
Cambridge, Massachusetts
GUY BORDENAVE
Paris, France
DENNIS BURTON
Sheffield, U.K.
JOHN CEBRA
Philadelphia, Pennsylvania
JOHN COLIGAN
Bethesda, Maryland
MAURICE COLOMB
Grenoble, France
GIAMPIETRO CORRADIN
Lausanne, Switzerland
SUSAN CULLEN
St. Louis, Missouri
JOSEPH DAVIE
St. Louis, Missouri
BRUCE ERICKSON
New York, New York
PETER EY
Adelaide, Australia
DOUGLAS FEARON
Boston, Massachusetts
FRANTISEK FRANEK
Prague, Czechoslovakia
WOLF FRIDMAN
Paris, France
ARNOLD FROESE
Winnipeg, Canada
JANOS GERGELY
Budapest, Hungary
VICTOR GHETIE
Bucharest, Romania
SEN-ITIROH HAKOMORI
Seattle, Washington
DAVID HOLOWKA
Ithaca, New York
JOHN INMAN
Bethesda, Maryland
DAVID ISENMAN
Toronto, Canada
MICHEL KLEIN
Willowdale, Canada
MICHELLE LETARTE
Toronto, Canada
RICHARD LYNCH
Iowa City, Iowa
JOHN MARCHALONIS
Charleston, South Carolina
DAVID MARSH
Baltimore, Maryland
GRAHAM MITCHELL
Melbourne, Australia
SHERIE MORRISON
New York, New York
JIRI NOVOTNY
Boston, Massachusetts
VERNON OI
Mountain View, California
MICHAEL OWEN
London, U.K.
EDUARDO PADLAN
Baltimore, Maryland
ISRAEL PECHT
Rehovot, Israel
CLAUDE DE PREVAL
Toulouse, France
JEAN-LOUIS PREUD'HOMME
Poitiers, France
ROBERT RAISON
Sydney, Australia
WALTER RIESEN
Bern, Switzerland
JOHN RODER
Toronto, Canada
VERNE SCHUMAKER
Los Angeles, California
DAVID SEGAL
Bethesda, Maryland
ROBERT SIM
Oxford, U.K.
DAVID STOLLAR
Boston, Massachusetts
TOMIO TADA
Tokyo, Japan
JACQUES THEZE
Paris, France
JUSE URIEL
Villejuif, France
MARC VAN REGENMORTEL
Strasbourg, France
EDWARD VOSS, JR
Urbana, Illinois
ALAIN DE WECK
Bern, Switzerland
HANS ZACHAU
Munich, F.R.G.

Publishing and Advertising Offices: Pergamon Journals Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K., and Pergamon Journals Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A. Published monthly. Annual institutional subscription rate (1988) DM 1235.00. Two year institutional rate (1988/89) DM 2346.50. Personal subscription rate for those whose library subscribes at the regular rate (1988) DM 167.00. Subscription enquiries from customers in North America should be sent to: Pergamon Journals Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Journals Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K. Prices are subject to change without notice.

Microform Subscriptions and Back Issues

Back issues of all previously published volumes are available in the regular editions and on microfilm and microfiche. Current subscriptions are available on microfiche simultaneously with the paper edition and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1987 Pergamon Journals Ltd

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translation. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the U.S.A. The Item-fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying, beyond that permitted by Section 107 or 108 of the United States Copyright Law, is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for other use. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-Fee Code for this publication is: 0161-5890/87 $3.00 + 0.00

CONTENTS OF VOLUME 24

JANUARY

S.-K. Liao, M. J. Khosravi, J. P. Brown and P. C. Kwong	1	Difference in cell binding patterns of two monoclonal antibodies recognizing distinct epitopes on a human melanoma-associated oncofetal antigen
P.-L. Lim	11	Isolation of specific IgM monoclonal antibodies by affinity chromatography using alkaline buffers
C. R. Maliszewski, J. Currier, J. Fisher, R. J. Smith and M. W. Fanger	17	Monoclonal antibodies that bind to the My23 human myeloid cell surface molecule: epitope analysis and antigen modulation studies
R. S. Warlow and C. C. A. Bernard	27	Solubilization and characterization of moderate and high affinity histamine binding sites on human blood mononuclear cells
J. H. Colle, R. Perret and P. Truffa-Bachi	39	Hybrid polypeptide heavy chains produced by two hybridoma lines
A. W. Braithwaite, R. D. Eichner, P. Waring and A. Müllbacher	47	The immunomodulating agent gliotoxin causes genomic DNA fragmentation
F. R. Solomon and T. J. Higgins	57	A monoclonal antibody with reactivity to asialo GM_1 and murine natural killer cells
T. Shimamura, T. Nakamura and J. Koyama	67	Demonstration of the existence of two distinct Fc receptors for IgG isotypes on guinea-pig macrophages by the use of monoclonal antibodies
N. J. K. Hole, J. P. Catty and D. Catty	75	The idiotypy of auto anti-allotype antibody induced in immunoglobulin allotype suppressed rabbits
N. J. K. Hole, J. P. Catty and D. Catty	83	Escape from *b* locus allotype suppression in the rabbit is mediated by IgM molecules bearing an allotope-restricted variant of kappa light chain
L.-M. Hsiung, D. W. Mason and A. W. Dodds	91	A monoclonal antibody which can distinguish between the two isotypes of human C4

FEBRUARY

M. Harper, F. Lema, G. Boulot and R. J. Poljak	97	Antigen specificity and cross-reactivity of monoclonal anti-lysozyme antibodies
C. Horgan and W. Emlen	109	Complement fixation by small, DNase-resistant DNA–anti-DNA immune complexes
A. C. Morgan, Jr, R. W. Schroff, R. A. Klein, R. F. McIntyre, A. Mason, R. B. Herberman and J. Ortaldo	117	Occult (non-surface expression) of T, B and monocyte markers in human large granular lymphocytes
R. Milne, J. Gutkowska, G. Thibault, P. Schiller, C. Charbonneau, J. Genest and M. Cantin	127	A murine monoclonal antibody against rat atrial natriuretic factor (ANF) which cross-reacts with mouse ANF
G. T. Layton, D. R. Stanworth and H. E. Amos	133	Factors influencing the immunogenicity of the haptenic drug chlorhexidine in mice—part I. Molecular requirements for the induction of IgE and IgG anti-hapten antibodies
R. Aston, A. T. Holder, J. Ivanyi and R. Bomford	143	Enhancement of bovine growth hormone activity *in vivo* by monoclonal antibodies

C. Wofsy and B. Goldstein 151 The effect of co-operativity on the equilibrium binding of symmetric bivalent ligands to antibodies: theoretical results with application to histamine release from basophils

J. E. Jentoft, L. Bolinger, G. R. Ainslie and B. Tandler 163 Forms of a self associating autoantibody complex between a monoclonal human IgG1 and human serum albumin

P. Bailly, J. Chevaleyre, D. Sondag, C. François-Gérard, Y. Piquet, G. Vezon and J.-P. Cartron 171 Characterization of a murine monoclonal antibody specific for the human P1 blood group antigen

G. Bordenave, C. Babinet and M. Michel 177 Idiotypic relationships between allotypically different rabbit antibodies

R. Rousseaux-Prevost, J. Rousseaux and H. Bazin 187 Studies of the IgE binding sites to rat mast cell receptor with proteolytic fragments and with a monoclonal antibody directed against epsilon heavy chain: evidence that the combining sites are located in the $C_\epsilon 3$ domain

Short Communications

J. M. Martinko, J. C. Solheim and J. Geliebter 197 The *H-2K*^{kml} mutation: nucleotide sequence and comparative analysis

R. T. Kubo, K. Haskins and S. M. Fu 201 Serologic identification of the murine T3 homologue by cross-reactive xenogeneic anti-human T3 antisera

Announcement

205 Tissue Culture Association Annual Meeting on Molecular Genetics of Tissue Specific Gene Expression

i New Patents

MARCH

V. L. Frenyo, J. E. Butler, R. A. Wilson and J. Kavanagh 207 The transport and metabolism of bovine IgM

E. J. Brown, J. F. Bohnsack, J. J. O'Shea and J. McGarr 221 Evidence for a conformational change in human fibronectin which occurs between 4 and 37°C

S. Ikeyama 231 Thermally induced disulfide bond exchanges in human IgE

D. Miyamoto, N. Nakamura, Y. Ishii, Y. Kobayashi and T. Osawa 239 Establishment of a human T-cell hybridoma that produces human macrophage activating factor for superoxide production and translation of messenger RNA of the factor in *Xenopus laevis* oocyte

H. Haouas, A. Benammar-El Gaaied and P.-A. Cazenave 247 A "new allotype" of the a series in rabbit immunoglobulins (a107)

M. Kirschfink and T. Borsos 253 Augmentation of hemolytic efficiency of anti-hapten IgG antibody by anti-IgG antibody is primarily the function of the anti-hapten IgG

A. Kulczycki, Jr 259 Bovine IgG can aggregate at conditions simulating pasteurization and binds to some human Fc_γ receptors

D. C. Shaw, D. L. Harris, X. He, J. A. Oster, D. L. Montgomery, K. R. Ely and A. B. Edmundson 267 A mild method for the preparation of disulfide-linked hybrids of immunoglobulin light chains

J. Gohill and M. J. Fritzler 275 Antibodies in procainamide-induced and systemic lupus erythematosus bind the *C*-terminus of histone 1 (H1)

T. Azuma, N. Sakato and H. Fujio	287	Maturation of the immune response to (4-hydroxy-3-nitrophenyl)-acetyl (NP) haptens in C57BL/6 mice
M. Mariani, L. Bracci, R. Presentini, D. Nucci, P. Neri and G. Antoni	297	Immunogenicity of a free synthetic peptide: carrier-conjugation enhances antibody affinity for the native protein
A. Ruffilli, U. Oreste, V. Santonastaso, A. Scotto D'Abusco and G. Sacerdoti	305	Low molecular weight allergens of the pollen of *Parietaria officinalis*
		Preliminary Communication
D. Kenett, G. Fleminger, E. Katchalski-Katzir and R. J. Poljak	313	Lysozyme bound to the D1.3 monoclonal antibody retains enzymatic activity in assays using *N*-acetyl-glucosamine oligomers as substrate
		Letter to the Editor
G. J. Arlaud and M. G. Colomb	317	Modelling of C1, the first component of human complement: towards a consensus?
	i	New Patents

APRIL

S. W. Vukajlovich, J. Hoffman and D. C. Morrison	319	Activation of human serum complement by bacterial lipopolysaccharides: structural requirements for antibody independent activation of the classical and alternative pathways
H.-T. Chen, S. D. Makover and E. A. Kabat	333	Immunochemical studies on monoclonal antibodies to stearyl-isomaltotetraose from C58/J and a C57BL/10 nude mouse
J.-M. Bidart, D. H. Bellet, G. F. Alberici, F. Van Besien and C. Bohuon	339	The immune response to a synthetic peptide analogous to the 109–145 βhCG carboxyl-terminus is directed against two major and two minor regions
M. L. Stracke, L. K. Basciano, C. Fischler, E. H. Berenstein and R. P. Siraganian	347	Characterization of monoclonal antibodies produced by immunization with partially purified IgE receptor complexes
N. McCartney-Francis, G. Young-Cooper, C. Alexander and R. G. Mage	357	Expression of K2 isotype mRNA in normal and Basilea rabbits
D. S. Pisetsky, C. Klatt and S. H. Pincus	365	Characterization of monoclonal antibodies with specificity for DNA and the synthetic polypeptide antigen (T,G)-A–L
C. P. J. Glaudemans	371	Seven structurally different murine monoclonal galactan-specific antibodies show identity in their galactosyl-binding subsite arrangements
D. S. Burt, G. Z. Hastings, J. Healy and D. R. Stanworth	379	Analysis of the interaction between rat immunoglobulin E and rat mast cells using anti-peptide antibodies
A. R. Brown and V. A. Fried	391	Two BALB/c anti-arsonate idiotype families: two heavy chain variable regions (V_h) shared with anti-DNP antibodies are used by one family while a V_h similar to anti-GAT antibodies is used by the other
	399	Erratum

MAY

A. C. Buenafe and M. B. Rittenberg	401	Combining site specificity of monoclonal antibodies to the organophosphate hapten Soman
J. Shaw, K. Meerovitch, J. F. Elliott, R. C. Bleackley and V. Paetkau	409	Induction, suppression and superinduction of lymphokine mRNA in T lymphocytes

T. Matsuda, I. Nakashima, Y. Kato and R. Nakamura	421	Antibody response to haptenic sugar antigen: immunodominancy of protein-bound lactose formed by amino-carbonyl reaction
C. Lu, R. Hugh and C.-J. Lee	427	Characterization of the binding of and the immune response to pneumococcal group 9 capsular polysaccharides
R. W. Milne, L. Blanchette, R. Théolis Jr, P. K. Weech and Y. L. Marcel	435	Monoclonal antibodies distinguish between lipid-dependent and reversible conformational states of human apolipoprotein B
K. L. Knight, A. Johnson, J. E. Coligan and T. J. Kindt	449	Partial amino acid sequence analysis of rabbit MHC class II molecules isolated from two-dimensional polyacrylamide gels
A. Le Guern, D. Wetterskog, P. N. Marche and T. J. Kindt	455	A monoclonal antibody directed against a synthetic peptide reacts with a cell surface rabbit class I MHC molecule
J. Marvel, J. Tassignon, M. Brait, K. Meek, E. C. B. Milner, M. Moser, J. D. Capra and J. Urbain	463	The influence of V_κ gene polymorphism on the induction of silent idiotypes in the arsonate system
C. E. Seyfried, P. K. Gregersen, B. S. Nepom and G. T. Nepom	471	Functional polymorphisms among HLA-DR4$^+$ DR beta chains associated with limited peptide diversity
R. B. Acres, A. Larsen, S. Gillis and P. J. Conlon	479	Production of IL-1α and IL-1β by clones of EBV transformed, human B cells
B. Nilsson, K.-E. Svensson, P. Borwell and U. R. Nilsson	487	Production of mouse monoclonal antibodies that detect distinct neoantigenic epitopes on bound C3b and iC3b but not on the corresponding soluble fragments
E. Rosenqvist, T. Jøssang and J. Feder	495	Thermal properties of human IgG
P. Aucouturier, E. Mihaesco, C. Mihaesco and J.-L. Preud'homme	503	Characterization of jacalin, the human IgA and IgD binding lectin from jackfruit
J. L. Bidwell, E. A. Bidwell, G. J. Laundy, P. T. Klouda and B. A. Bradley	513	Allogenotypes defined by short DQα and DQβ cDNA probes correlate with and define splits of HLA-DQ serological specificities
A. Machida, H. Ohnuma, E. Takai, T. Tanaka, Y. Itoh, F. Tsuda, Y. Akahane, S. Usuda, T. Nakamura, Y. Miyakawa and M. Mayumi	523	A synthetic peptide coded for by the pre-S2 region of hepatitis B virus for adding immunogenicity to small spherical particles made of the product of the S gene
L. A. Potempa, J. N. Siegel, B. A. Fiedel, R. T. Potempa and H. Gewurz	531	Expression, detection and assay of a neoantigen (Neo-CRP) associated with a free, human C-reactive protein subunit
F. Sassi, F. Hugo, M. Muhly, A. Khaled, M. Sadok Ben Rachid and S. Bhakdi	543	A natural auto-inhibitory factor of the terminal complement pathway in serum of *Ctenodactylus gondi*
		Announcement
	549	Hungarian Society for Immunology and the Gesellschaft für Immunologie 5th Balaton Meeting in the series "Signal and Signal Processing in the Immune System"
	i	New Patents

JUNE

Y. Sibille, D. L. Delacroix, W. W. Merill, B. Chatelain and J. P. Vaerman	551	IgA-induced chemokinesis of human polymorphonuclear neutrophils: requirement of their Fc-alpha receptor

A. R. Neurath, S. B. H. Kent, P. Adamowicz, M. M. Riottot, P. Price, N. Strick, K. Parker, M. A. Petit, A. Budkowska, M. Girard and J. Pillot	561	Immunological cross-reactivity between preS2 sequences of the hepatitis B virus envelope proteins corresponding to serological subtypes *adw*2 and *ayw*
Å. Larsson, R. Ghosh and S. Hammarström	569	Determination of intrinsic affinity constants of monoclonal antibodies against carcinoembryonic antigen
E. Sciutto, B. Garat, E. Ortega and C. Larralde	577	Antibody heterogeneity: theoretical and experimental evaluation of a simple procedure to describe differing affinities in hapten binding reactions
C. I. Bindon, G. Hale, N. Hughes-Jones, B. Gorick and H. Waldmann	587	Synergistic complement lysis by monoclonal antibodies to the human leukocyte common antigen requires both the classical and alternative pathways
F. Díaz-Espada, C. Milstein and D. Secher	595	The regulation of membrane-bound and secreted immunoglobulins in the human lymphoid cell line LICR-LON and human hybridomas
E. Lisowska, L. Messeter, M. Duk, M. Czerwiński and A. Lundblad	605	A monoclonal anti-glycophorin A antibody recognizing the blood group M determinant: studies on the subspecificity
C. Juarez, A. Turu, C. Gelpi, M. J. Amengual, M. Agusti, M. C. Honorati and J. L. Rodriguez	615	Effect of enzymatic treatments on RNP and Sm antigenic reactivities—I. Loss of RNP but increase of Sm antigenic reactivity after RNase treatment of nuclear extract
J. Hoebeke, Y. Engelborghs, S. Chamat and A. D. Strosberg	621	The immune response towards beta-adrenergic ligands and their receptors—VII. Equilibrium and kinetic binding studies of *l*-alprenolol to a monoclonal anti-alprenolol antibody
F. M. Strickland, J. T. Gleason and J. Cerny	631	Serologic and molecular characterization of the T15 idiotype—I. Topologic mapping of idiotopes on TEPC15
F. M. Strickland, J. T. Gleason and J. Cerny	637	Serologic and molecular characterization of the T15 idiotype—II. Structural basis of independent idiotope expression on phosphorylcholine-specific monoclonal antibodies
C. C. Yue, C. W. Reynolds and P. A. Henkart	647	Inhibition of cytolysin activity in large granular lymphocyte granules by lipids: evidence for a membrane insertion mechanism of lysis
E. L. Faulmann and M. D. P. Boyle	655	Regulation of the activation of CI in serum
E. L. Mather	661	Analysis of δ mRNA in the immature B lymphocytes of neonatal liver and spleen
E. J. Steele and J. W. Pollard	667	Hypothesis: somatic hypermutation by gene conversion via the error prone DNA → RNA → DNA information loop

JULY

		Hypothesis
R. E. Langman and M. Cohn	675	The E–T (elephant–tadpole) paradox necessitates the concept of a unit of B-cell function: the Protecton
S. R. Cole, L. K. Ashman and P. L. Ey	699	Biotinylation: an alternative to radioiodination for the identification of cell surface antigens in immunoprecipitates
M. W. Clarke, A. F. Barbet and T. W. Pearson	707	Structural features of antigenic determinants on variant surface glycoproteins from *Trypanosoma brucei*
C. J. van Oss and J. Walker	715	Concentration dependence of the binding constant of antibodies

A. Spiazzi, G. Corradin, R. Nagasawa, G. Tridente, H. R. MacDonald and C. Bron 719 Biochemical characterization of a T-lymphoma-specific 90,000 molecular weight disulfide linked dimeric glycoprotein

M. Spohn and I. McColl 729 Synthesis of IgA by human gastric mucosa *in vitro*

A. Circolo, P. Battista and T. Borsos 737 Anti-IgM antibody decreases dissociability of cell bound IgM anti-hapten antibodies as measured with fluid phase hapten

M. Gherman, M. Manciulea, A. C. Bancu, A. Sulica, D. R. Stanworth and R. B. Herberman 743 Regulation of human natural cytotoxicity by IgG—I. Characterization of the structural site on monomeric IgG responsible for inhibiting natural killer cell activity

G. E. Woloschak and C. J. Krco 751 Regulation of κ/λ immunoglobulin light chain expression in normal murine lymphocytes

M. Motomura, D. Kitamura, K. Araki, H. Maeda, A. Kudo and T. Watanabe 759 The *cis*-acting regulatory elements of immunoglobulin heavy chain gene involved in enhanced immunoglobulin production after lipopolysaccharide (LPS) stimulation

B. E. Chechik, M. Fong, S. Narasimhan and H. Schachter 765 Identification of terminal *N*-acetylglucosamine residues of highly branched asparagine-linked oligosaccharides as immunoreactive domains of a chicken heterophile antigenic determinant

T. J. Hall 773 Hapten-induced enhancement of monoclonal antibody binding in ELISA

S. Muller, A. Isabey, M. Couppez, S. Plaue, G. Sommermeyer and M. H. V. Van Regenmortel 779 Specificity of antibodies raised against triacetylated histone H4

C.-S. Xu, E. Tung, I. Y. Wang and A.-C. Wang 791 Identification and characterization of Thy-1 homologues from bovine thymocytes

P. J. Hogg, S. C. Johnston, M. R. Bowles, S. M. Pond and D. J. Winzor 797 Evaluation of equilibrium constants for antigen–antibody interactions by solid-phase immunoassay: the binding of paraquat to its elicited mouse monoclonal antibody

Preliminary Communication

R. S. Nezlin, E. V. Pankratova, A. E. Arutyunyan and V. P. Timofeev 803 Extracellular portions of HLA antigens are not compact globulae

Announcement

807 The Lake Tahoe Symposium: Advances in Recombinant DNA Technology

AUGUST

S. M. Rudich, E. Mihaesco, R. Winchester and P. K. A. Mongini 809 Analysis of the domain specificity of various murine anti-human IgM monoclonal antibodies differing in human B lymphocyte signaling activity

L. Gregory, K. G. Davis, B. Sheth, J. Boyd, R. Jefferis, C. Nave and D. R. Burton 821 The solution conformations of the subclasses of human IgG deduced from sedimentation and small angle X-ray scattering studies

T. Nakamura, K. Tamoto, J.-I. Maeyama, H. Sato, T. Shimamura and J. Koyama 831 Identification of an Fc receptor for IgG1 and IgG2 on guinea-pig polymorphonuclear leukocytes

M. Bouillot, J. Choppin, E. Gomard and J.-P. Levy 839 Unusual expression of HLA molecules at the surface of murine cells transfected with HLA-B7 or HLA-A11 genes

D. A. Granato and J.-R. Neeser 849 Effect of trimming inhibitors on the secretion and biological activity of a murine IgE monoclonal antibody

T. P. King, L. Kochoumian and T. Lam	857	Immunochemical observations of antigen 5, a major venom allergen of hornets, yellowjackets and wasps
D. K. Palmer, H. G. Morse and C. Jones	865	Three distinct epitopes of the human MSK20 cell surface antigen are expressed on human and non-human primate cells
G. N. Volman, S. Narasimhan and M. Letarte	871	Analysis of asparagine-linked oligosaccharide structures of chronic lymphocytic leukemia cells
V. W. Hu, D. L. Mazorow, A. Nicholson-Weller and M. L. Shin	887	Enhancement of complement-mediated lysis of dithiothreitol-treated erythrocytes involves increased C9 insertion and polymerization

SEPTEMBER

E. Q. Lawson, D. T. Brandau, P. A. Trautman, S. E. Aziz and C. R. Middaugh	897	Kinetics of the precipitation of cryoimmunoglobulins
J. Tschopp and D. Masson	907	Inhibition of the lytic activity of perforin (cytolysin) and of late complement components by proteoglycans
A. B. Edmundson, K. R. Ely, J. N. Herron and B. D. Cheson	915	The binding of opioid peptides to the Mcg light chain dimer: flexible keys and adjustable locks
R. L. Raison and A. B. Edmundson	937	Localization of an idiotope on the L chain dimer and intact IgG1 immunoglobulin from the patient Mcg
O. Abehsira-Amar, M. Uzan, F. Audibert, M. Jolivet, L. Chedid and J. Theze	945	Covalent linkage of the synthetic adjuvant MDP to the synthetic polypeptide (T,G)-A—L changes the specificity of the immune response at the T and B cell level
M. B. Frank, R. M. Besta, P. R. Baverstock and G. A. Gutman	953	The structure and evolution of immunoglobulin kappa chain constant region genes in the genus *Rattus*
C. C. Rider and G. W. Hart	963	Differential sulphation of chondroitins in murine T and B lymphocytes and lymphoma cells
S. S. Visweswariah, A. A. Karande and P. R. Adiga	969	Immunological characterization of riboflavin carrier proteins using monoclonal antibodies
A. R. Neurath, S. B. H. Kent, N. Strick, K. Parker, A.-M. Courouce, M. M. Riottot, M. A. Petit, A. Budkowska, M. Girard and J. Pillot	975	Antibodies to synthetic peptides from the pre-S1 and pre-S2 regions of one subtype of the hepatitis B virus (HBV) envelope protein recognize all HBV subtypes
N. Yamasaki, S. Komori and T. Watanabe	981	Complementary DNA for a human subgroup IV immunoglobulin λ-chain
Z. Fishelson and H. J. Müller-Eberhard	987	Regulation of the alternative pathway of human complement by C1q
G. E. Woloschak	995	Immunoglobulin gene expression in *xid* mice: defective expression of secreted and membrane α-heavy chain RNA

OCTOBER

		Review
C.-J. Lee	1005	Bacterial capsular polysaccharides—biochemistry, immunity and vaccine
C. J. Stille, L. J. Thomas, V. E. Reyes and R. E. Humphreys	1021	Hydrophobic strip-of-helix algorithm for selection of T cell-presented peptides
M. Janusz, Z. Wieczorek, K. Spiegel, A. Kubik, Z. Szewczuk, I. Siemion and J. Lisowski	1029	Immunoregulatory properties of synthetic peptides, fragments of a proline-rich polypeptide (PRP) from ovine colostrum

L. Laurence, D. Roux, J. Marti and H. Cailla	1033	Epitope design for the induction of antibodies which recognize a family of molecules: example of monoclonal antibodies to 2′-5′ oligoadenylates
S. Ikeyama	1039	Purification and characterization of recombinant human IgE Fc_ϵ fragment produced in mouse L cells
M. Rits, P. S. Hiemstra, L. A. van Es, M. Bazin, J. P. Vaerman and M. R. Daha	1047	Complement-mediated solubilization of rat IgA immune precipitates
F. J. Stevens	1055	Modification of an ELISA-based procedure for affinity determination: correction necessary for use with bivalent antibody
U. Blank, M. Daëron, A. Galinha, W. H. Fridman and C. Sautes	1061	The carbohydrate moieties of suppressor IgG-binding factor released by murine T cells
G. W. Krissansen, W. Verbi, N. F. Totty and M. J. Crumpton	1069	Purification and identification by amino acid sequence analysis of the subunits of the CD3 antigen of human tonsil T-lymphocytes
M. de Boer, F. A. Ossendorp, B. J. M. Al, J. Hilgers, J. J. M. de Vijlder and J. M. Tager	1081	Production of monoclonal antibodies to thyroglobulin by *in vitro* immunization with a free synthetic peptide
O. H. Hashim and W. Cushley	1087	Role of processing of *N*-linked oligosaccharides in control of immunoglobulin secretion from rat hybridomas
N. Behrendt, O. C. Hansen, M. Ploug, V. Barkholt and C. Koch	1097	Localization and functional significance of a polymorphic determinant in the third component of human complement
J. O. Minta and D. E. Isenman	1105	Biosynthesis of the third component of complement by the human monocyte-like cell line, U-937
L. Björck, W. Kastern, G. Lindahl and K. Widebäck	1113	Streptococcal protein G, expressed by streptococci or by *Escherichia coli*, has separate binding sites for human albumin and IgG

NOVEMBER

V. S. Poltoranina, G. I. Abelev and A. K. Yazova	1123	Mixed precipitation in gel: a new method of identification and characterization of monoclonal antibodies
F. Anfosso, C. Demeure, M. Delaage, R. Cheballah, F. Bellot and A. Bourgois	1129	Conformational differences of human IgE on hydrophobic and hydrophilic solid phases detected by monoclonal antibodies
S. J. Crook, R. Stewart, J. M. Boggs, A. I. Vistnes and B. Zalc	1135	Characterization of anti-cerebroside sulfate antisera using a theoretical model to analyse liposome immune lysis data
S. A. Jose, H. Griffiths, J. Lunec, R. A. Mageed and R. Jefferis	1145	Immunogenic and antigenic epitopes of immunoglobulin—XX. Denaturation of human IgG3 by free radicals
D. F. H. Zhou, K. Z. Guo, S. A. Tilles and G. A. Gutman	1151	Expression of two mRNAs for immunoglobulin lambda chains in the rat
V. F. J. Quesniaux, R. Tees, M. H. Schreier, R. M. Wenger and M. H. V. Van Regenmortel	1159	Fine specificity and cross-reactivity of monoclonal antibodies to cyclosporine
G. Racchetti, G. Fossati, R. Comitti, S. Putignano and Y. M. Galante	1169	Production of monoclonal antibodies to calcitonin and development of a two-site enzyme immunoassay
M. Audette, F. Buchegger, M. Schreyer and J.-P. Mach	1177	Monoclonal antibody against carcinoembryonic antigen (CEA) identifies two new forms of crossreacting antigens of molecular weight 90,000 and 160,000 in normal granulocytes

D. N. Chakravarti, R. D. Campbell and R. R. Porter	1187	The chemical structure of the C4d fragment of the human complement component C4
N. E. Phillips and D. C. Parker	1199	Fcγ receptor effects on induction of c-*myc* mRNA expression in mouse B lymphocytes by anti-immunoglobulin
K. M. Coulter, W. H. Yang, G. Dorval, M. A. Drouin, C. K. Osterland and L. Goodfriend	1207	Specific IgE antibody responses to ragweed allergens Ra5S and Ra5G associated with distinct HLA-DR β genes
A. Johnson, S. Harkin, M. W. Steward and K. Whaley	1211	The effects of immunoglobulin isotype and antibody affinity on complement-mediated inhibition of immune precipitation and solubilization
H. Kondoh, K. Kobayashi and K. Hagiwara	1219	A simple procedure for the isolation of human secretory IgA of IgA1 and IgA2 subclass by a jackfruit lectin, jacalin, affinity chromatography
		Letter to the Editor
J. J. Haaijman and J. Radl	1223	Monoclonal antibodies against isotypic and isoallotypic determinants of human IgA1 and IgA2: fine specificities and binding properties
D. L. Delacroix	1224	Author's reply
		Announcement
	1225	The Center for Advanced Training in Cell and Molecular Biology: Courses for 1988

DECEMBER

M. R. Gordon and Q. N. Myrvik	1227	Biophysical characterization of macrophage migration enhancement factor (MEF)
H. Zaghouani and M. Stanislawski	1237	Regulation of the response to α(1–3) dextran: an anti-dextran associated idiotope of BALB/c mice is also expressed on A/J anti-NIP antibodies
C. Lapeyre, S. V. Kaveri, F. Janin and A. D. Strosberg	1243	Production and characterization of monoclonal antibodies to staphylococcal enterotoxins: use in immunodetection and immunopurification
J. A. Ledbetter, H. P. Fell, L. S. Grosmaire, N. A. Norris and T. T. Tsu	1255	An immunoglobulin light chain dimer with CD4 antigen specificity
D. K. Imagawa, S. E. Barbour, B. P. Morgan, T. M. Wright, H. S. Shin and L. E. Ramm	1263	Role of complement C9 and calcium in the generation of arachidonic acid and its metabolites from rat polymorphonuclear leukocytes
M. Pierres and J. Barbet	1273	Two novel phospholipid-linked mouse thymocyte surface molecules released by phosphatidylinositol-specific phospholipase C
D. J. Paterson, W. A. Jefferies, J. R. Green, M. R. Brandon, P. Corthesy, M. Puklavec and A. F. Williams	1281	Antigens of activated rat T lymphocytes including a molecule of 50,000 *M*, detected only on CD4 positive T blasts
W. R. Griswold	1291	Theoretical analysis of the sensitivity of the solid phase antibody assay (ELISA)
U. Arumäe, J. Siigur, T. Neuman and M. Saarma	1295	Monoclonal antibodies against *Vipera lebetina* venom nerve growth factor cross-react with other snake venom nerve growth factors
P. S. Seifert and M. D. Kazatchkine	1303	Generation of complement anaphylatoxins and C5b-9 by crystalline cholesterol oxidation derivatives depends on hydroxyl group number and position

M. M. Benkirane, D. Bon, M. Cordeil, P. Delori and M. A. Delaage	1309	Immunization with immune complexes: characterization of monoclonal antibodies against a TSH–antibody complex
J. E. Butler, M. V. Borca, H. Heyermann, M. Dillender and M. Bielecka	1317	The heterogeneity of bovine IgG2—III. The ion-exchange heterogeneity of IgG2a is the result of V_H-region variation
H. Heyermann and J. E. Butler	1327	The heterogeneity of bovine IgG2—IV. Structural differences between IgG2a molecules of the A1 and A2 allotypes
S. K. Ghosh, P. Patnaik and R. B. Bankert	1335	Expression of μ and γ_1 membrane forms of immunoglobulin segregate in somatic cell hybrids
B. D. Evans and K. Amiraian	1345	Effect of zinc on lysis of sheep erythrocytes by guinea pig C4-deficient serum
I. Dore, D. Altschuh, Z. Al Moudallal and M. H. V. Van Regenmortel	1351	Immunochemical studies of tobacco mosaic virus—VII. Use of comparative surface accessibility of residues in antigenically related viruses for delineating epitopes recognized by monoclonal antibodies
S. Hruby, E. C. Alvord, Jr, N. P. Groome, A. Dawkes and R. E. Martenson	1359	Monoclonal antibodies reactive with myelin basic protein
M. Gullberg	1365	Analysis of dynamics and functions of high-affinity interleukin-2 receptors
V. Hahn, M.-L. Hartmann, J.-P. Ebel and P. Stiegler	1373	Antigenic regions of ribosomal protein S1 as defined by monoclonal antibodies
D. G. Marsh, L. Goodfriend, T. P. King H. Løwenstein and T. A. E. Platts-Mills	1383	Allergen nomenclature
		Announcement
	1389	11th International Convocation on Immunology
	i	List of Contents and Author Index for Volume 24, 1987